

# PROPYLENE GLYCOL FREEZE AND BURST PERCENTAGES PERCENTAGES AT VARIOUS TEMPERATURES

PERCENTAGE OF P.G.                      FREEZE PROTECTION  
TEMPERATURES in Fahrenheit and Celsius

FREEZE PROTECTION			BURST PROTECTION	
F	C	PERCENT		PERCENT
-60	-51.1	63%		
-55	-48.3	61%		
-50	-45.6	60%	-----	40%
-45	-42.8	58%		
-40	-40.0	57%	-----	35%
-35	-37.2	54%		
-30	-34.4	53%	-----	33%
-25	-31.7	50%		
-20	-28.9	49%	-----	30%
-15	-26.1	46%		
-10	-23.3	43%	-----	28%
-5	-20.6	41%		
0	-17.8	38%	-----	24%
5	-15.0	34%		
10	-12.2	30%	-----	20%
15	-9.4	25%		
20	-6.7	19%	-----	12%
25	-3.9	12%		
30	-1.1	9%		
32	0.0	0%		